



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU_72

603P CASE NO.

TYPE OF ACCIDENT Car/Pedestrian/Straight Path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was westbound in the second lane of a 4-lane undivided roadway. The pedestrian was running southbound with a straight path. As vehicle 1 began to enter the southbound turn lane, the pedestrian ran into the right side of the vehicle. Vehicle 1 applied brakes and steered to the left, coming to rest at the median. The pedestrian came to rest just past the point of impact near the vehicle's right rear final rest.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	27	М	Treated and Released	L-Forearm	Contusion	1	R-mirror			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description						
01	Compact	91/Chevrolet/Cavalier	Right	Minor						







Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION

MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number7 2	Case	Number-Stratum 6 9 3 P
PEDESTRIAN ACCIDENT COLLISION DATA CO	DLLECTION	
document reference point and reference line relative to physical features Surface Type	h-L	SCALED DIAGRAM
documentation of all accident induced physical evidence including (if applicable): Surface Condition		north arrow placed on diagram
a) vehicle skid marks Coefficient of Fri		grade measurements for all applicable roadways.
b) pedestrian contacts with ground or object Grade (v/h) Meas c) vehicle/pedestrian point of impact (POI)	ürement	scaled representations of the physical plant including:
d) location of pedestrian separation point b) between in		 all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings,
f) final resting points (FRP) for pedestrian and vehicle Pedestrian Travel		parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)
* documentation of the physical plant including: Vehicle Travel Dir		scaled representations of the vehicle and pedestrian at pre-impact, impact, and final
a) all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, Number of Travel parked vehicles, poles, signs, etc.;	Lanes	rest based upon either: a) physical evidence, or
b) all traffic controls (e.g., lights; signs)		b) reconstructed accident dynamics
curb elge	Reference line: N	on Distance and Direction
P. f.	from Reference Poir	
· \		1.001
POT	11.4 m E	10.3 m S
PED PRP	9.8 m E	14.9.25
V, FRP (FRT LPT)	6,7 m E	13.9mj
·		
		·

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 72	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum 6 03 P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special
IDENTIFICATION	studies and 0 for the special studies not checked.
Number of General Vehicle Forms Submitted 0 1	6SS15 Administrative Use0
	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year)	8SS17 Impact Fires0
5. Time of Accident	9SS18 <u>0</u>
Code reported military time of accident. NOTE: Midnight = 2400 Unknown = 9999	10SS19
Olikilowii – 9999	NUMBER OF EVENTS
	11. Number of Recorded Events in This Accident0_1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Vehicle Number Number		Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. Q <u>Z</u>	15. <u>R</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

ational Highway Traffic Safety dministration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum 6	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	14 5 pounds X .4536 = 65.7 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping(7) Falling/stumbling or rising(8) Other (specify):(9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
Code to the nearest centimeter. (999) Unknown	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS	
T EBECTRIANT O AT SIBANTOE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle	(05) Hands in pockets
(03) Ran away (along vehicle path) 🦼 いっと	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(or) boroon ion away	(09) Extended, holding object
Used hand(s) to :	
	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	·
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	1
	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	, ,
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(3) 0.11/1/04/1	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
· · · · · · · · · · · · · · · · · · ·	(16) Snagged dragged by vehicle
	(16) Snagged, dragged by vehicle (17) Foot or legs run over
	(17) Foot or legs run over
	(17) Foot or legs run over (98) Other (specify):
	(17) Foot or legs run over

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PA2	Nonfatal
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	 (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (3) Unknown if blood given (3) Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. 7	7. <u>9</u>	8. <u>0 4</u>	9. <u>0</u> 2	- 10. <u> </u>	11.2	12. <u>7 5 2</u>	- 13. <u> </u>	14	153	16. 2	17
2nd	18. <u>3</u>	197	20. <u>7</u>	2104	22. <u>O</u>	- _{23.} <u>/</u>	24. <u> </u> 2	· 25. 752	- _{26.} <u> </u>	27	28, 3	29	. Z 30
3rd	31	32	33	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47	48	49	50	51	52,	53	54	55	56
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116.	117	118	1.19.	120	121
10th	122	123	124	125	126	127	128	129.	130	131	132	133	134

				PEDES	TRIA	JUNI N	JRY DAT	Ά				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	<u></u>							<u>—</u>	- 	_		_
12th					-	—		_	_		_	
13th		<u></u>							<u>-</u>	<u></u>	_	
14th	_	<u> </u>			_	_		_			_	_
15th	_	<u></u> -			<u></u>	<u>—</u>	<u></u>	_	_	_	<u> </u>	-
1.6th	_					 -		<u></u>		<u></u>	<u></u>	
17th	<u></u>	·			<u>—</u>	_		_	—	—		<u> </u>
18th		<u>1</u>			_				_			<u></u>
19th									_	_		
20th								# <u>#</u> % # 1000				
21st												
22nd												
.23rd												
24th												
25th								-				

. . .

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



TYPE OF DAMAGE SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL Certain Probable (0) Injury not from vehicle contact **OFFICIAL** No damage/contact Scratch (Scuff, Cloth Transfer, Smear) (1) Autopsy records with or without hospital/ (3)Possible medical records Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury (6)Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel (3)Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (3) (7) Interviewee Sharp edge Other (specify): (5)(8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure Abbreviated Injury Scale** (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (06) Lumbar Face (2) Moderate injury (3) (4) (3)Neck Serious injury Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit (06) Skin - Laceration (4) Thorax Severe injury Abdomen (08) Skin - Avulsion Critical injury (6) (7) (6) Spine (10) Amputation numbers beginning with 02 Maximum (untreatable) (20) Burn Upper Extremity (7)Injured, unknown severity Lower Extremity (30) Crush Level of Injury (8) Degloving Injury - NFS Trauma, other than mechanical Unspecified (40)Aspect injuries are /e two-digit (50) Specific assigned Type of Anatomic Structure consecutive numbers (1) Right beginning with 02. (2) (3) (4) (5) Whole Area Head - LOC (02) Length of LOC Bilateral Central (2) Vessels To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (3) (04, 06, 08) Level of Consciousness Anterior Organs (includes muscles/ ligaments) (6) (7) Posterior Superior (4)(10) Concussion (5) Skeletal (includes joints) (8) (6) (9) Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Skin Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 702 Front grille 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 801 Steering assembly/Front suspension 718 Other front or add on object 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):_ (specify): 776 Front header

777 Roof surface 778 Backlight glazing

779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

739 Unknown left side component

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

Other Object or Vehicle in Environment 947 Ground

949 Unknown object in environment

959 Unknown object on contacting vehicle

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units =


Arterial Blood Gases


Ph = ____

 $PO_2 =$

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	72	OFFICIAL RECORDS
2. Case Number - Stratum	<u>6 ФЗ Р</u>	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICAT	ION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the mod (99) Unknown	del year	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify): Chevrolet Applicable codes are found in your NASS PCDS Data Collection, Codir Editing Manual. (99) Unknown		(999) Unknown 30 mph X 1.6093 = 46.2 kmph 11. Police Reported Alcohol Presence For Driver
6. Vehicle Model (specify):	# 16	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Codir Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be fou the back of this page.	ng and $ otin 2 $	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source: PAR
Left justify; Slash zeros and letter Z No VIN—Code all zeros Unknown—Code all nines		13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 1, 436 lbs x .4536 = 1,04.9 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): pizza dalivery (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

2	Critical Drawnsk Turns	İ		-
.ડ.	Critical Precrash Event This Vehicle Loss of Control Due To:	1	(83)	Pedalcyclist or other nonmotorist in roadway
	(01) Blow out or flat tire	1	(0.4)	(specify):
	(02) Stalled engine	1	(84)	Pedalcyclist or other nonmotorist approaching
	(03) Disabling vehicle failure (e.g., wheel fell off)		/OE\	roadway (specify):
	(specify):	i	(00)	Pedalcyclist or other nonmotorist—unknown
	(04) Non-disabling vehicle problem (e.g., hood flew		Obi-	location (specify):
	up) (specify):			ct or Animal
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	i i		Animal in roadway
	(specify):	l		Animal approaching roadway
	(06) Traveling too fast for conditions	1		Animal—unknown location
		1		Object in roadway
	(08) Other cause of control loss (specify):	l		Object approaching roadway
	(09) Unknown cause of control less			Object—unknown location
	(09) Unknown cause of control loss This Vehicle Traveling	1	(98)	Other critical precrash event (specify):
		İ	(00)	
	(10) Over the lane line on left side of travel lane	1	(99)	Unknown
	(11) Over the lane line on right side of travel lane	١.,	•	
	(12) Off the edge of the road on the left side	24		mpted Avoidance Maneuver
	(13) Off the edge of the road on the right side			No driver present
	(14) End departure			No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection	l		Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane	j		Steering left
	(50) Stopped	1		Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)	l		Braking and steering right
	(52) Traveling in same direction with higher speed	l		Accelerating
	(53) Traveling in opposite direction	l		Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99)	Unknown
	in lane	l	_	
	Other Motor Vehicle Encroaching Into Lane	25.		ash Stability After Avoidance Maneuver 2
	(60) From adjacent lane (same direction)—over left			No driver present
	lane line			No avoidance maneuver
	(61) From adjacent lane (same direction) - over right			Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30 degrees
	(62) From opposite direction—over left lane line	ļ		Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line	Ì	(5)	Skidding laterally—counterclockwise rotation
	(64) From parking lane	1	(8)	Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction	l		the state of the state (openly).
	(66) From crossing street, across path		(9)	Precrash stability unknown
,	(67) From crossing street, turning into opposite			3
	direction	26.	Precr	ash Directional Consequences of
	(68) From crossing street, intended path not known			dance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction			No driver present
	(71) From driveway, across path			No avoidance maneuver
((72) From driveway, turning into opposite direction			Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known			maneuver was initiated
	(74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
((78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown			Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was initiated
	80) Pedestrian in roadway			Vehicle departed roadway
	81) Pedestrian approaching roadway		(6)	Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location		(9)	Directional consequences unknown
			,	a de la de la de la de la la la la la la la la la la la la la

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier 	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) **Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	(4) One way trafficway (9) Unknown Number of Travel Lanes	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	(1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown	

72-603

2010m

27 Yom 1911 105-75

POIts FRP = 6m = 16ft 0,65 = f brak. d - Left 15mph 1-10

V= 7[2)(16)(0.65)(32.2) = 25.8 fps = 17,6mph = 28 KPh

28/104

U.S. Department of Transportation National Highway Traffic Safety PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 3. Vehicle Number 1. Primary Sampling Unit Number 12 <u>6 **4 3** P</u> 2. Case Number - Stratum **VEHICLE IDENTIFICATION** G 1 J C 3 4 T 8 M 1 Model Year 9 Vehicle Model (specify): Cavalier Chevrolet Vehicle Make (specify): PEDESTRIAN FRONT CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length cm PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening cm PEV14 Front Bumper Cover Material PEV15 Front Bumper Reinforcement Material **VERTICAL MEASUREMENTS** PEV16 Front Bumper-Bottom Height cm PEV17 Front Bumper-Top Height cm PEV18 Forward Hood Opening cm PEV19 Front Bumper Lead cm **WRAP DISTANCES** PEV20 Ground to Forward Hood Opening cm PEV21 Ground to Front/Top Transition Point cm PEV22 Ground to Rear Hood Opening cm PEV23 Ground to Base of Windshield

cm


cm

cm

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT WORK SHEET					
PEV06 Hood Material	steel				
PEV08 Hood Length	12	l cm			
PEV09 Hood Width-Forward Opening	13				
PEV10 Hood Width-Midway	13				
PEV11 Hood Width-Rear Opening	13	9 cm			
VERTICA	I MEACUDEMENTO				
	L MEASUREMENTS	4A.			
PEV26 Ground Clearance	$\frac{1}{2}$	cm			
PEV27 Side Bumper-Bottom Height	$-\frac{3}{2}$	<u>2·</u> cm			
PEV28 Side Bumper-Top Height	_5				
PEV29 Centerline of Wheel	_2				
PEV30 Top of Tire	_5	9/ cm			
PEV31 Top of Wheel Well Opening	_6:	5 cm			
PEV32 Bottom of A-Pillar at Windshield	_9	cm			
PEV33 Top of A-Pillar at Windshield	12	2_ cm			
PEV34 Top of Side View Mirror	_9	<u>1</u> cm			
LATERAL	L MEASUREMENTS				
Enterior	E MEAGONEMENTS				
PEV35 C_L to A-Pillar at Bottom of Windshield		cm			
PEV36 C_L to A-Pillar at Top of Windshield	_6	cm			
PEV37 C _L to Maximum Side View Mirror Protrusion	on <u>9</u>	<u></u>			
WRA	AP DISTANCES				
PEV38 Ground to Side/Top Transition	2-	/ /cm			
PEV39 Ground to Hood Edge	<u> </u>	fb cm			
PEV40 Ground to Centerline of Hood (ORIGIN)	1 50	cm			
PEV41 Ground to Head Contact		cm			

	ORIGINAL SPE	CIFICATIO	ONS		
Whee1base	<u> </u>	inches	x 2.54	= <u>15</u> 70	:m
Overall Length	182.3	_	x 2.54		
Maximum Width	<u>66.3</u>	inches	x 2.54	= <u>1 68</u> c	m
Curb Weight	<u> 2.436</u>	pounds	x .4536	= <u>1,1 • 4</u> k	g
Average Track	_ 55.4	inches	x 2.54	= <u>4</u> \$\phi\$ c	m
Front Overhang		inches	x 2.54	= C	m
Rear Overhang		inches	x 2.54	= C	m ·
Undeformed End W		inches	x 2.54	= C	m
Engine Size: cyl	./disp1. <u>6 c y 1</u>	СС	x .001	<u>3.1</u>	L
		CID	x .0164	=!	L
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object 718 Other front or add on object 720 Front fender side surface 730 Rear antenna 748 Other pillar (specify): 750 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object 759 Unknown right side component		790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler			
722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify): 729 Left side roof rail 730 Left side door surface 731 Left side door handle	Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical sur 768 Other back component (specify): 769 Unknown back compor		809 810 818 819 - Access 820	B Floor pan D Fuel tank D Rear suspension D Other undercarriage component (specify): Unknown undercarriage component Sories D Air scoop, deflector Cellular or CB radio antenna	
732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter par 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component	r 772 Front fender top surfac	e	823 824 825 826 827 828	Emergency lights or bar Fog lights Luggage, ski, or bike rack Cargo (specify): Spare tire Spotlight Other accessory (specify):	-

Right Side Components

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

777 Roof surface

778 Backlight glazing

779 Rear header

780 Hatchback 781 Rear trunk lid

788 Other top component (specify):

789 Unknown top component

Other Object or Vehicle in Environment

947 Ground

948 Other object (specify):_


949 Unknown object in environment

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 159 cm

POINTS OF PEDESTRIAN CONTACT

PEDESTRIAN CONTACT WORKSHEET

CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	hood edge	10 to	+63 %	1	Land	hand print	1 2 3 9	
8	side B	-70	+65 +	1	torie	marked	O 2 3 9	
C	P265.	-85	+76	1		sulpe	① 2 3 9	
D	Trev Vy Dohe	-210	176	1		Suipe	Ø239	
E	panel 4	-245	+76	1		sulpe	O 2 3 9	
F	Parsideer	-140	+76	,		swippe.	O 2 3 9	
6	Pass door	-7540	+76	1		large Swise	2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
			·				1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS

		ı	GRADRU	EUGICAE UKI	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
(1)	Pameron	7-70	65 203	0-1	L. Hard	bent	1) 2 3 9
(2)	- 1	41					7)2 1 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
G							1 2 3 9
7							1 2 3 9
8							1 2 3 8
9							1 2 3 9
10							1 2 2 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9
							, , , , ,

VEHICLE DIMENSIONS	44 11 111111 2 0 1
	11. Hood Width Rear Opening
4. Original Wheelbase 257	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
	$\underline{54.7}$ inches X 2.54 = $\underline{139}$ centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	 (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(O) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7.11. 10.11.1	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact (1) Plastic
(999) Unknown	(1) Flastic (2) Fiberglass
<u>47</u> . 6 inches X 2.54 = 12 centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening 13	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
(555) Shkhown	(2) Aluminum
	(3) Stainless Steel
	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
F1 F	(000) No front contact (150) 150 centimeters or more
535inches X 2.54 =136 centimeters	(190) 190 centimeters or more (999) Unknown
	,,
	inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
	·
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Grant Clearance centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29.	Centerline of Wheel	Side Lateral Measurements
20.	Code to the	
	nearest centimeter (000) No side contact	35. Centerline to A-Pillar
	(150) 150 centimeters or more	at Bottom of Windshield
	(190) Too centimeters or more (999) Unknown	(000) No side contact
	(333) CHKIIOWII	Code to the
		nearest centimeter
	Thomas value continuetors	(250) 250 centimeters or more
		(999) Unknown
30.	Top of Tire	
	Code to the	<u>17</u> . <u>9</u> inches X 2.54 = 7] centimeters
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
		nearest centimeter
		(000) No side contact
		(250) 250 centimeters or more
31.	Top of Wheel Well Opening	(999) Unknown
•	Code to the	
	nearest centimeter	
	(000) No side contact	·
	(250) 250 centimeters or more	07 0 4500 4 4 4 5 00 4 4 4 7
	(999) Unknown	37. Centerline to Maximum Side View Mirror Protrusion
		Code to the
	25 . 5 inches X 2.54 =65 centimeters	nearest centimeter
22	Bottom of A-Pillar at Windshield	(000) No side contact
32.	Code to the	(300) 300 centimeters or more
	nearest centimeter	(999) Unknown
	(000) No side contact	
	(250) 250 centimeters or more	3
	(999) Unknown	
	~ 0	Side Wrap Distance Measurements
	· •	<u> </u>
33.	Top of A-Pillar at Windshield \ 2 2	38. Ground to Side/Top Transition
	Code to the	Code to the
	nearest centimeter	nearest centimeter (000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	(000) CHRIDWII
	10.20	<u>3 </u>
34.	Top of Side View Mirror	39. Ground to Hood Edge
•	Code to the	Code to the
•	nearest centimeter	nearest centimeter
	(000) No side contact	(000) No side contact
	(300) 300 centimeters or more	(500) 500 centimeters or more (999) Unknown
	(999) Unknown	
	- A	3 <u>5 . </u>
	3 <u>\theta</u> inches X 2.54 = 9.7 _ centimeters	

			 rage 10
40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown 2.5 inches X 2.54 = 159		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	998	
	inches X 2.54 =	_ centimeters	